

SC RECONDI SRL

Brasov, RO, Zizinului 107, 500407, Tel.: 026831419





Mobil: 0731837860, e-mail: pompe@recondi.ro

STOC POMPE GRUNDFOS LA 10.01.2023

Cod produs	Denumire produs	Cant.	
96807027	CM3-6 A-R-A-E-AQQE F-A-A-N IE3	2	 <p>Pompe orizontale pentru ridicarea presiunii</p>
98979430	CM3-8 A-R-A-E-AQQE F-A-A-N IE3	6	
98608252	CM5-6 A-R-A-E-AQQE F-A-A-N IE3	2	
98816609	CM5-8 A-R-A-E-AQQE F-A-A-N IE3	2	
98803414	CM10-3 A-R-A-E-AQQE F-A-A-N IE3	4	
98693606	CM10-3 A-R-I-E-AQQE F-A-A-N IE3	1	
96806943	CM10-3 A-R-A-E-AVBE C-A-A-N 1x230V	2	
98730017	CM10-4 A-R-A-E-AQQE F-A-A-N	2	
99020055	CM10-4 A-R-I-V-AQQV F-A-A-N IE3	2	
98861527	CM10-5 A-R-A-E-AQQE F-A-A-N IE3	2	
99080200	CM15-2 A-R-A-E-AQQE F-A-A-N IE3	2	
98715276	CM15-3 A-R-A-E-AQQE F-A-A-N IE3	2	
98777058	CM15-4 A-R-A-E-AQQE F-A-A-N	2	
98979368	CM25-2 A-R-A-E-AQQE F-A-A-N	2	
98667851	CM25-3 A-R-A-E-AQQE F-A-A-N	3	
99205259	CM25-4 A-R-A-E-AQQE F-A-A-N	2	
97721370	DDC 6-10 AR-PVC/V/C-F-31U2U2FG	2	 <p>Pompa de dozare</p>
97721439	DDC 9-7 AR-PVC/V/C-F-31U2U2FG	1	
Recondi	GRUP POMPARE 2XCM10-4 3kW I-S-3X400V, cu traductor presiune, cu turatie fixa, functionare in cascada, alternare, echipat cu doua pompe Grundfos orizontale multi-etajate. Domeniu de functionare: debit 3...30 m3/h, presiune 6.5...3 bar.	1	
99221285	MAGNA1 32-120 F 220 1x230V PN6/10	1	 <p>Pompa de circulatie</p>
96275805	POMPA TPE 50-110/4 BAQE	2	Pompa de circulatie agent termic

VEZI SI URMATOARELE PAGINI !

97989184	MTA 30-150 A-W-A-B 3x230/400V 50/...	6		Pompe imersibile pentru emulsie la masini unelte.	
97989221	MTA 60-180 A-W-A-B 3x230V/400V	6			
98993062	MTH4-8/6 A-W-A-AQQV 230/400V 50Hz	5			
39AE0301	SPK1-8/1 X-W-A-AUUV 1x220/240 50 Hz	6			
98578317	MTR10-10/3 A-W-A-HUUUV 3x230/400 5...	9			
98139930	MTR10-14/3 A-W-A-HUUUV 3x230/400 5...	2			
92605291	MTR10-18/3 T-W-A-HUUUV 3x230/400 5...	1			
96075897	SEG.40.09.2.50B	15		Pompe SEG cu tocanor, trifazate, pentru ape uzate, DN40, cablu 10m	
96075905	SEG.40.12.2.50B	1			
96075909	SEG.40.15.2.50B	3			
96075913	SEG.40.26.2.50B	3			
96075915	SEG.40.31.2.50B	3			
96075917	SEG.40.40.2.50B	3			
10001K12	SP3A-12 0.75kW 380-415V 50Hz	1		Pompe submersibile foraj, trifazate	
98699059	SP9-21 Rp2 4"3X380-415/50 4.0kW	1			
98699360	SP14-20 Rp2 4"3X380-415/50 5.5kW	1			
98464186	TP 32-120/2-A-F-A-BQQE 400Y 50HZ	2		Pompe de circulatie agent termic, trifazate	
98133671	TP 40-180/2-A-F-A-BQQE 400Y 50HZ	1			
98279255	TP 50-120/2-A-F-A-BQQE 400Y 50HZ	2			
98133648	TP 50-180/2-A-F-A-BQQE 400Y 50HZ	2			
98585759	TP 65-120/2-A-F-A-BQQE 400Y 50HZ	2			
99222098	TP 65-180/2-A-F-A-BQBE 400Y 50HZ	1			
97851333	TP 80-120/2-A-F-A-BQQE 400Y 50HZ	2			
96468354	UNILIFT AP50B.50.08.A1.V, 1x230V,...	1		Pompe inox ape uzate/ape, pluviale/drenaj, monofazate cu plutitor	
	TKF-K 40-125/148 4kW 400V DN65/DN40	1		Pompa ulei termic cu motor, cuplaj si sasiu metalic 8-40m3h; 3-4 bar	
	TKF-K 40-160 7.5kW 400V DN65/DN40	1			
	TKF-K 50-160/177 11kW 400V DN65/DN50	1			
96516602	CR3-17 A-A-A-E-HQQE 3x230/400 50HZ	2		Pompe Grundfos verticale multietajate pentru ridicarea presiunii, prevazute cu racorduri tip filet sau flansa	
96501227	CR10-5 A-A-A-E-HQQE 3x400D 50 HZ	2			
96501229	CR10-7 A-A-A-E-HQQE 3x400D 50 HZ	2			
96501907	CR15-4 A-A-A-E-HQQE 3x400D 50 HZ	2			
96501909	CR15-6 A-A-A-E-HQQE 3x400D 50 HZ	2			
96516254	CR1-23 A-FGJ-A-E-HQQE 3x230/400 50HZ	1			
96555394	CR3-23 K-A-A-E-HQQE 3x400D 50HZ	1			
96551632	CR10-18 K-FJ-A-E-HQQE 3x400/690 50 HZ	1			
96122013	CR32-4 A-F-A-E-HQQE 3x400/690 50 HZ	2			

96003332	Plutitor apa uzata, tip MS1 10m, Grundfos	12		
	Electrozi de nivel, tip SNR, pentru foraj	50		
	Transmiter presiune 0-6bar, 0-10bar, 0-16bar semnal iesire 4-20mA	10		
Recondi	GRUP POMPARE HIDRANTI 1A+1R+1Pilot 2xCR10-6 + 1xCR3-15 DN80 400V. functionare conform P118. Echipat cu trei pompe Grundfos verticale multi-etajate. O pompa principala: 2.2kW, 9m3/h la 53m. Pompa pilot: 1.1kW, 3.5m3/h la 60m.	1		
Recondi	GRUP POMPARE HIDRANTI 1A+1R+1Pilot 2xCR15-5 + 1xCR3-15 DN80 400V. functionare conform P118. Echipat cu trei pompe Grundfos verticale multi-etajate. O pompa principala: 4kW, 18m3/h la 54m. Pompa pilot: 1.1kW, 3.5m3/h la 60m.	1		